

DEBY POVI %7,5 SCRUB

%7,5 Povidone Iodine Hand and Skin Antiseptic, Liquid Soap

CHEMICAL COMPOSITION

%7,5 Povidone iodine, Cocamide Diethanolamine, Sodium Laureth Sulfate, Glycerine, Aqua.

WHERE TO USE

Deby Povi %7,5 scrub is used for hygienic and surgical hand-skin disinfection. It is used for skin antiseptics before medical and surgical operations; medical examination, biopsy, injection, wearing and after removing gloves.

HOW TO USE

For Hygienic Antisepsis; the hand and arm areas are wetted with water and product is applied for 30 seconds. Then, it is rinsed with water. 1 ml of the product is used up to 5 times a day.

For Medical Antisepsis; the entire surface of the application area is rubbed with 1 ml of product for 30 seconds. Then the area is rinsed with sterile gauze or water. It is used up to 5 times a day.

ANTIMICROBIAL CHARACTERISTICS

Bactericide, Fungicide, Virucide, Antimycobacterial, Tuberculocide. Short term effect, 30 seconds. And it is dermatologically tested.

DEBY POVI %10

%10 Povidone Iodine Hand and Skin Antiseptic

CHEMICAL COMPOSITION

%10 Povidone iodine, Disodium hydrogen phosphate, Citric acid, Glycerin, Aqua.

WHERE TO USE

Deby Povi %10 is used for hygienic and surgical hand-skin disinfection and around the wound disinfection. It is used for disinfection and preparation of surgical site before surgery. It is used for skin antiseptics before medical and surgical operations; medical examination, biopsy, injection, wearing and after removing gloves.

HOW TO USE

For Hygienic Antisepsis; It is applied to hand and skin areas for 30 seconds. 1 ml of the product is used up to 5 times a day.

For Medical Antisepsis; the entire surface of the application area is covered with 1 ml of product for 30 seconds. It is used up to 5 times a day.

ANTIMICROBIAL CHARACTERISTICS

Bactericide, Fungicide, Virucide, Antimycobacterial, Tuberculocide. Short term effect, 30 seconds. And it is dermatologically tested.

DEBY HEXIDIN %2

%2 Chlorhexidine Gluconate Hand and Skin Antiseptic

CHEMICAL COMPOSITION

%2 Chlorhexidine Gluconate, %70 Isopropyl Alcohol, Glycerine, Essential Oil, Aqua.

WHERE TO USE

Deby Hexidin %2 is used for hygienic and surgical hand-skin disinfection. It is used for hand and skin antiseptis before medical and surgical operations; medical examination, biopsy, injection, wearing and after removing gloves.

HOW TO USE

For Hygienic Antiseptis; It is applied to hand and skin areas for 30 seconds. 1 ml of the product is used up to 5 times a day.

For Medical Antiseptis; Before surgical applications, hands are rubbed with 1 ml of product.

ANTIMICROBIAL CHARACTERISTICS

Bactericide, Fungicide, Virucide, Antimycobacterial, Tuberculocide. Short term effect, 30 seconds. And it is dermatologically tested.

DEBY HEXIDIN %4

%4 Chlorhexidine Gluconate Hand and Skin Antiseptic, Liquid Soap

CHEMICAL COMPOSITION

%4 Chlorhexidine Gluconate, %6 Isopropyl Alcohol, Sodium Laureth Sulfate, Sodium Chloride, Glycerine, Essential oil, Aqua.

WHERE TO USE

Deby Hexidin %4 scrub is used for hygienic and surgical hand-skin disinfection. It is used for skin antiseptis before medical and surgical operations; medical examination, biopsy, injection, wearing and after removing gloves.

HOW TO USE

For Hygienic Antisepsis; the hand and arm areas are wetted with water and product is applied for 30 seconds. Then, it is rinsed with water. 1 ml of the product is used up to 5 times a day.

For Medical Antisepsis; the entire surface of the application area is rubbed with 1 ml of product for 30 seconds. Then the area is rinsed with water. It is used up to 5 times a day.

ANTIMICROBIAL CHARACTERISTICS

Bactericide, Fungicide, Virucide, Antimycobacterial, Tuberculocide. Short term effect, 30 seconds. And it is dermatologically tested.